according to Regulation (EC) No. 1907/2006



# Incucyte® G/R Fluor. Calibration Kit

Version Revision Date: SDS Number: Date of last issue: -

1.0 30.03.2020 SAG-R0001883 Date of first issue: 30.03.2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Incucyte® G/R Fluor. Calibration Kit

Product code : 4515

Substance name : IncuCyte Fluorescence Calibration Kit; catalog number 9500-

4515

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.3 Details of the supplier of the safety data sheet

Company : Sartorius Corporation

565 Johnson Avenue 11716 Bohemia

E-mail address of person

responsible for the SDS

: Department CA-FM Environment@sartorius.com

#### 1.4 Emergency telephone number

UK/Europe/Global: +44.1865.407.333 (Sartorius 29003)

United States: +1.866.928.0789 (Toll free), (Sartorius 29003)

Canada: +1.800.579.7421 (Toll free), (Sartorius 29003)

United States & Canada (geographic): +1.202.464.2554 (Sartorius 29003)

Asia-Pacific/East & South East Asia (without China): +65.3158.1074 (Sartorius 29003)

Japan: +81.3.4578.9341 (Sartorius 29003)

Indonesia: 007.803.011.0293 (Toll free Indonesia), (Sartorius 29003)

Malaysia: +60.3.6207.4347 (Sartorius 29003)

Thailand: 001.800.120.666.751 (Toll free Thailand), (Sartorius 29003)

India: 000.800.100.7479 (Toll free India) or +65.3158.1198 (Sartorius 29003)

South Korea: +82.2.3479.8401 (Sartorius 29003) Australia: +61.2.8014.4558 (Sartorius 29003) New Zealand: +64.9.929.1483 (Sartorius 29003)

Middle East/Africa: +44.1235.239671 (Sartorius 29003)

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

#### 2.2 Label elements

#### Labelling REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

according to Regulation (EC) No. 1907/2006



# Incucyte® G/R Fluor. Calibration Kit

Version Revision Date: SDS Number: Date of last issue: -

1.0 30.03.2020 SAG-R0001883 Date of first issue: 30.03.2020

#### 2.3 Other hazards

None known.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

**Hazardous components** 

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

If inhaled : Fresh Air. If disease continues, please contact a medical ex-

pert.

In case of skin contact : Wash off immediately with plenty of water.

If swallowed : Call a physician immediately.

Rinse mouth.

Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

None known.

#### 4.3 Indication of any immediate medical attention and special treatment needed

#### **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

# 5.2 Special hazards arising from the substance or mixture

#### 5.3 Advice for firefighters

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

according to Regulation (EC) No. 1907/2006



# Incucyte® G/R Fluor. Calibration Kit

Version Revision Date: SDS Number: Date of last issue: -

1.0 30.03.2020 SAG-R0001883 Date of first issue: 30.03.2020

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

6.2 Environmental precautions

6.3 Methods and material for containment and cleaning up

6.4 Reference to other sections

## **SECTION 7: Handling and storage**

7.1 Precautions for safe handling

Hygiene measures : Do not smoke. When using do not eat or drink.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: Store at room temperature in the original container.

Storage class (TRGS 510) : 10-13, German Storage Class 10 to 13

#### 7.3 Specific end use(s)

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : Safety glasses

Hand protection

Remarks : Protective gloves

Skin and body protection : Lab coat

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance : liquid
Colour : colourless
Odour : odourless

pH : No data available

Density : ca. 1 g/cm3

similar to water

according to Regulation (EC) No. 1907/2006



# Incucyte® G/R Fluor. Calibration Kit

Version Revision Date: SDS Number: Date of last issue: -

1.0 30.03.2020 SAG-R0001883 Date of first issue: 30.03.2020

#### 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

10.1 Reactivity

10.2 Chemical stability

# 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under normal conditions.

10.4 Conditions to avoid

10.5 Incompatible materials

10.6 Hazardous decomposition products

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Further information**

#### **Product:**

Remarks: The product contains no substances which at their given concentration, are considered to be hazardous to health.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

Not relevant

according to Regulation (EC) No. 1907/2006



# Incucyte® G/R Fluor. Calibration Kit

Version Revision Date: SDS Number: Date of last issue: -

1.0 30.03.2020 SAG-R0001883 Date of first issue: 30.03.2020

#### 12.6 Other adverse effects

#### **Product:**

Additional ecological infor-

mation

: Remarks: This product has no known ecotoxicological effects.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : In accordance with local and national regulations.

# **SECTION 14: Transport information**

14.1 UN number

14.2 UN proper shipping name

14.3 Transport hazard class(es)

14.4 Packing group

14.5 Environmental hazards

14.6 Special precautions for user

Remarks : Not dangerous goods in the meaning of ADR/RID, ADN,

IMDG-Code, ICAO/IATA-DGR

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class

(Germany)

: Remarks: No data available

#### 15.2 Chemical safety assessment

# **SECTION 16: Other information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and

according to Regulation (EC) No. 1907/2006



# Incucyte® G/R Fluor. Calibration Kit

Version Revision Date: SDS Number: Date of last issue: -

1.0 30.03.2020 SAG-R0001883 Date of first issue: 30.03.2020

is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN