

## **Certificate of Compliance for** ISO 10993-5 test

Sartobind® Rapid A Lab, 0.5 mL SBLRA025EL-1 Test Item:

Project: STUY424AA0212-1

Supplier: Sartorius Lab Instruments GmbH & Co. KG, Otto-Brenner-Str. 20,

37079 Göttingen, Germany

Studies performed: The following study was performed for the test item listed above according to

ISO 10993-1, ISO 10993-5 and ISO 10993-12.

In vitro Cytotoxicity Assay: Cell Growth Analysis via XTT-Staining and

**Grading Score Analysis** 

(Eurofins Munich Study No.: STUGC24AA1796-2)

The the test item was extracted under agitation for 24 ± 2 h with cell culture medium and L929 cells were incubated for 24 - 26 h with the extract. The decrease in the activity of mitochondrial dehydrogenases of the individual cultures was then analysed as a measure for cytotoxicity and compared to those

of the controls. Additionally, a grading score analysis was determined.

Results: In this study under the given conditions no leachable substances were

released in cytotoxic concentrations from the test item as confirmed by

two different endpoints (XTT, Grading).

The biological test did not show significant findings, so this part of

biocompatibility testing was fulfilled.

**Eurofins BioPharma Services Consulting Munich GmbH** 

Behringstr. 6/8 D-82152 Planegg

Kristin Rödig

Consulting Specialist

Eurofins BioPharma Services Consulting Munich GmbH

Behringstr. 6/8 D-82152 Planegg/Munich

Tel I +49 (0) 89 288 5488 0 Fax I +49 (0) 89 899 650-11

Bank details:

UniCredit Bank - HVB Settlement EAC17 Sort code: 207 300 17 Account number: 7000 0048 00 Swift-BIC: HYVEDEMME17

IBAN: DE08 2073 0017 7000 0048 00

Managing director: Dr. Peter Havel

Munich District Court, HRB 260 761 The place of performance and venue: Munich

VAT ID number: DE 335 800 883 Tax number: 143/135/03055